CP3514

Ergonomic & powerful

FEATURES

- **5" (125 mm) random orbital palm sander**
- 3/16" (5 mm) orbit
- Powerful 0.3 hp (210 W) motor
- Soft grip, tear drop design for perfect control
- Low noise level
- Shut-off and speed control switch
- Central Vacuum (CV) model in Hook & Loop Pad

BENEFITS

- Operator comfort with ergonomic palm shape
- Productivity increased with low vibrations level
- Powerful and ergonomic palm shape for vertical and horizontal applications
- 3/16" (5 mm): great for surface preparation from body filler to paint primer

CP3514

CP3510

Ergonomic & powerful

CP3511

Same features as CP3510 with PSA

FEATURES

- **5" (125 mm) random orbital palm sander**
- 3/16" (5 mm) orbit
- Powerful 0.3 hp (210 W) motor
- Soft grip, tear drop design for perfect control
- Low noise level
- Shut-off and speed control switch
- Non Vacuum (NV) model in Hook & Loop Pad

BENEFITS

- Operator comfort with ergonomic palm shape
- Productivity increased with low vibrations level
- Powerful and ergonomic palm shape for vertical and horizontal applications
- 3/16" (5 mm): great for surface preparation from body filler to paint primer

CP3512

Ergonomic & powerful

FEATURES

- **5" (125 mm) random orbital palm sander**
- 3/16" (5 mm) orbit
- Powerful 0.3 hp (210 W) motor
- Soft grip, tear drop design for perfect control
- Low noise level
- Shut-off and speed control switch
- Self Vacuum (SV) model in Hook & Loop pad

BENEFITS

- Operator comfort with ergonomic palm shape
- Productivity increased with low vibrations level
- Powerful and ergonomic palm shape for vertical and horizontal applications
- 3/16" (5 mm): great for surface preparation from body filler to paint primer

See accessories on pages 101 to 105

MODEL	PART NUMBER	POWER		GRIP	FREE SPEED	PAD CAPACITY		SPINDLE THREAD	AIR CONS. AT FREE SPEED		AIR CONS. @LOAD		NET WEIGHT		PAD TYPE	VAC	VIBRATION LEVEL ISO 28927 (M/S2)		SOUND PRESS.	SOUND POWER	AIR INLET
		hp	W		rpm	in.	mm	in.	cfm	l/s	cfm	l/s	lb	kg			a	k	ISO 15744 - dB(A)		
ORBITAL Ø 3/16" (5 mm)																					
CP3510	**615 193 3510**	0.3	210	Palm	12,000	5	125	5/16-24	19	9	16.0	8.0	1.3	0.7	H&L	SV	3	1.3	81	92	1/4"
CP3511	**615 193 3511**	0.3	210	Palm	12,000	5	125	5/16-24	19	9	16.0	8.0	1.3	0.7	PSA	SV	3	1.3	81	92	1/4"
CP3512	**615 193 3512**	0.3	210	Palm	12,000	5	125	5/16-24	19	9	16.0	8.0	1.3	0.7	H&L	SV	3	1.3	81	92	1/4"
CP3514	**615 193 3514**	0.3	210	Palm	12,000	5	125	5/16-24	19	9	16.0	8.0	1.4	0.7	H&L	SV	3	1.3	81	92	1/4"

All models: Hose int. 3/8" (9.5mm) - @90 PSI (@6.3 Bar)

Listed specifications are for reference only. Please check documents in each tool.

UNI-BIS Group
Dystrybutor
ul. Osiedle Leśne 1a
84-300 Lębork, Polska
tel./fax: +48 59 863 14 17
e-mail: biuro@uni-bis.com
www.uni-bis.com
UNI-BIS industry solutions

CP7225

Powerful & comfortable

FEATURES
- **6" (150 mm) random orbital palm sander**
- 3/32" (2.5 mm) orbit
- Powerful 0.29 hp (210 W) motor
- Soft grip, tear drop design for perfect control
- Low noise level
- Low vibrations
- Shut-off and speed control switch
- Non Vacuum (NV) model in PSA pad

BENEFITS
- Operator comfort with ergonomic palm shape
- Productivity increased with low vibrations level
- Powerful and ergonomic palm shape for vertical and horizontal applications
- 3/32" (2.5 mm): used for final sanding, finishing, and pre-polishing processes

CP7225E / CV
Similar features as CP7225 with respectively H&L and Central Vacuum

CP7225CVE / SVE
Similar features as CP7225 with H&L, Central Vacuum and with H&L, Self Vacuum

CP7215SV

Powerful & comfortable

FEATURES
- **6" (150 mm) random orbital palm sander**
- 3/8" (10 mm) orbit
- Powerful 0.29 hp (210 W) motor
- Soft grip, tear drop design for perfect control
- Low noise level
- Shut-off and speed control switch
- Self Vacuum (SV) model in PSA pad

BENEFITS
- Operator comfort with ergonomic palm shape
- Productivity increased with low vibrations level
- Powerful and ergonomic palm shape for vertical and horizontal applications
- 3/8" (10 mm): great for heavy material removal such as body filler

CP7215/E
Similar features as CP7215SV with H&L

CP7215CV
Similar features as CP7215SV with H&L and Central Vacuum

CP7215CVE/SVE
Similar features as CP7215SV with H&L, Central Vacuum and with H&L, Self Vacuum

CP7255CVE

Powerful & comfortable

FEATURES
- **6" (150 mm) random orbital palm sander**
- 3/16" (5 mm) orbit
- Powerful 0.3 hp (210 W) motor
- Soft grip, tear drop design for perfect control
- Low noise level
- Shut-off and speed control switch
- Central Vacuum (CV) model in Hook & Loop Pad

BENEFITS
- Operator comfort with ergonomic palm shape
- Productivity increased with low vibrations level
- Powerful and ergonomic palmshape for vertical and horizontal applications
- 3/16" (5 mm): great for surface preparation from body filler to paint primer

CP7255CVE

CP7255
Similar features as CP7255CVE with PSA

CP7255E / CV
Similar features as CP7255CVE with respectivly H&L and Central Vacuum

CP7255SV / SVE
Similar features as CP7255CVE with respectivly Self Vacuum and H&L Self Vacuum

	MODEL	PART NUMBER	POWER		GRIP	FREE SPEED	PAD CAPACITY		SPINDLE THREAD	AIR CONS. AT FREE SPEED		AIR CONS. @LOAD		NET WEIGHT		PAD TYPE	VAC	VIBRATION LEVEL ISO 28927 (M/S2)		SOUND PRESS.	SOUND POWER	AIR INLET
			hp	W		rpm	in.	mm	in.	cfm	l/s	cfm	l/s	lb	kg			a	k	ISO 15744 - dB(A)		
ORBITAL Ø 3/8" (10 mm)	CP7215	894 107 2151	0.3	210	Palm	12,000	6	150	5/16-24	18	8	16.0	7.6	1.7	0.7	PSA	no	8.54	2.8	81	92	1/4"
	CP7215CV	894 107 2153	0.3	210	Palm	12,000	6	150	5/16-24	18	8	16.0	7.6	1.8	0.8	PSA	CV	8.54	2.8	81	92	1/4"
	CP7215CVE	894 127 2153	0.3	210	Palm	12,000	6	150	5/16-24	18	8	16.0	7.6	1.8	0.8	H&L	CV	5.65	1.8	81	92	1/4"
	CP7215E	894 127 2151	0.3	210	Palm	12,000	6	150	5/16-24	18	8	16.0	7.6	1.7	0.7	H&L	no	5.65	1.8	81	92	1/4"
	CP7215SV	894 107 2152	0.3	210	Palm	12,000	6	150	5/16-24	18	8	16.0	7.6	1.8	0.8	PSA	SV	8.54	2.8	81	92	1/4"
	CP7215SVE	894 127 2152	0.3	210	Palm	12,000	6	150	5/16-24	18	8	16.0	7.6	1.8	0.8	H&L	SV	5.65	1.8	81	92	1/4"
ORBITAL Ø 3/32" (2.5 mm)	CP7225	894 107 2251	0.3	210	Palm	12,000	6	150	5/16-24	18	8	16.0	7.6	1.7	0.7	PSA	no	7.65	3.1	81	92	1/4"
	CP7225CV	894 107 2253	0.3	210	Palm	12,000	6	150	5/16-24	18	8	16.0	7.6	1.8	0.8	PSA	CV	7.65	3.1	81	92	1/4"
	CP7225E	894 127 2251	0.3	210	Palm	12,000	6	150	5/16-24	18	8	16.0	7.6	1.7	0.7	H&L	no	3.7	2.0	81	92	1/4"
	CP7225SVE	894 127 2252	0.3	210	Palm	12,000	6	150	5/16-24	18	8	16.0	7.6	1.8	0.8	H&L	SV	3.7	2.0	81	92	1/4"
	CP7225CVE	894 127 2253	0.3	210	Palm	12,000	6	150	5/16-24	18	8	16.0	7.6	1.8	0.8	H&L	CV	3.7	2.0	81	92	1/4"
ORBITAL Ø 3/16" (5 mm	CP7255SVE	894 127 2552	0.3	210	Palm	12,000	6	150	5/16-24	18	8	16.0	7.6	1.8	0.8	H&L	SV	5.13	1.7	81	92	1/4"
	CP7255SV	894 107 2552	0.3	210	Palm	12,000	6	150	5/16-24	18	8	16.0	7.6	1.8	0.8	PSA	SV	8.22	2.2	81	92	1/4"
	CP7255E	894 127 2551	0.3	210	Palm	12,000	6	150	5/16-24	18	8	16.0	7.6	1.7	0.7	H&L	no	5.13	1.7	81	92	1/4"
	CP7255CVE	894 127 2553	0.3	210	Palm	12,000	6	150	5/16-24	18	8	16.0	7.6	83.0	0.8	H&L	CV	5.13	1.7	81	92	1/4"
	CP7255CV	894 107 2553	0.3	210	Palm	12,000	6	150	5/16-24	18	8	16.0	7.6	83.0	0.8	PSA	CV	8.22	2.2	81	92	1/4"
	CP7255	894 107 2551	0.3	210	Palm	12,000	6	150	5/16-24	18	8	16.0	7.6	1.7	0.7	PSA	no	8.22	2.2	81	92	1/4"

All models: Hose int. 3/8" (9.5mm) - @90 PSI (@6.3 Bar)

Listed specifications are for reference only. Please check documents in each tool.

UNI-BIS Group
Dystrybutor
ul. Osiedle Leśne 1a
84-300 Lębork, Polska
tel./fax: +48 59 863 14 17
e-mail: biuro@uni-bis.com
www.uni-bis.com
UNI-BIS industry solutions

CP7215H

Lightweight & powerful

CP7215HE / HCVE

Similar features as CP7215H with handle and H&L / with 2 hands and Central Vacuum



ø 10mm (3/8") Dia. Orbit

Eco change motor, see page 101

FEATURES

- **2-handed 6" (150 mm) random orbital palm sander**
- 3/8" (10 mm) orbit
- Powerful 0.29 hp (210 W) motor
- Soft grip, tear drop design for perfect control
- Low noise level
- Shut-off and speed control switch
- Non Vacuum (NV) model in PSA Pad

BENEFITS

- Operator comfort with ergonomic palm shape
- Productivity increased with low vibrations level
- Powerful and ergonomic palm shape for vertical and horizontal applications
- 3/8" (10 mm): great for heavy material removal such as body filler

CP7255H

Lightweight & powerful

CP7255HE / HCVE

Similar features as CP7255H with handle and H&L / with 2 hands and Central Vacuum



Eco change motor, see page 101

FEATURES

- **2-handed 6" (150 mm) random orbital palm sander**
- 3/16" (5 mm) orbit
- Powerful 0.3 hp (210 W) motor
- Soft grip, tear drop design for perfect control
- Low noise level
- Shut-off and speed control switch
- Non Vacuum (NV) model in PSA Pad

BENEFITS

- Operator comfort with ergonomic palm shape
- Productivity increased with low vibrations level
- Powerful and easy to use for vertical and horizontal applications
- 3/16" (5 mm): great for surface preparation from body filler to paint primer

CP7268

In-line sanding

FEATURES

- **Heavy-duty dual piston straight line sander**
- Twin piston rugged design
- Easy comfort trigger and handle

BENEFITS

- Operator comfort and safe operation
- Ideal tool for fast material removal, body smoothing, and for large surfaces

CP7215HCVE

See accessories on pages 101 to 105

	MODEL	PART NUMBER	FREE SPEED	POWER		PAD CAPACITY		PAPER SIZE		SPINDLE THREAD	AIR CONS. AT FREE SPEED		AIR CONS. @LOAD		NET WEIGHT		VIBRATION LEVEL ISO 28927 (M/S2)		SOUND PRESS.	SOUND POWER	AIR INLET
			rpm	hp	W	in.	mm	in.	mm	in	cfm	l/s	cfm	l/s	lb	kg	a	k	ISO 15744 - dB(A)		
	CP7268	894 107 2680	5,000			2.75 x 17.5	70x445	2.75 x 17.5	70x445		14	6	10.7	5.1	6.0	2.7	22.03	13.5	93	104	1/4"
ORBITAL Ø 3/16" (5 mm)	CP7255HE	894 127 2554	11,000	0.3	210	6	150	6	150	5/16-24	18	8	18.0	8.5	1.9	0.8	3.1	5.2	82	93	1/4"
ORBITAL Ø 3/16" (5 mm)	CP7255HCVE	894 127 2555	11,000	0.3	210	6	150	6	150	5/16-24	18	8	18.0	8.5	1.9	0.8	3.1	5.2	83	94	1/4"
ORBITAL Ø 3/16" (5 mm)	CP7255H	894 107 2554	11,000	0.3	210	6	150	6	150	5/16-24	18	8	18.0	8.5	1.9	0.8	5.4	2.4	81	92	1/4"
ORBITAL Ø 3/8" (10 mm)	CP7215HE	894 127 2154	11,000	0.3	210	6	150	6	150	5/16-24	18	8	18.0	8.5	2.0	0.9	4.4	2.8	85	96	1/4"
ORBITAL Ø 3/8" (10 mm)	CP7215HCVE	894 127 2155	11,000	0.3	210	6	150	6	150	5/16-24	18	8	18.0	8.5	2.0	0.9	4.4	2.8	86	97	1/4"
ORBITAL Ø 3/8" (10 mm)	CP7215H	894 107 2154	11,000	0.3	210	6	150	6	150	5/16-24	18	8	18.0	8.5	2.0	0.9	4.4	2.8	84	95	1/4"

All models: Hose int. 3/8" (9.5mm) - @90 PSI (@6.3 Bar)

Listed specifications are for reference only. Please check documents in each tool.

UNI-BIS Group
Dystrybutor

ul. Osiedle Leśne 1a
84-300 Lębork, Polska

tel./fax: +48 59 863 14 17
e-mail: biuro@uni-bis.com

www.uni-bis.com

UNI-BIS industry solutions

CP7220E

High Performance with low noise Non vacuum

CP7220SVE
Similar features as CP7220E with self-vacuum

CP7250E
Similar features as CP7220E with 5 mm orbit

CP7250SVE
Similar features as CP7220SVE with 5 mm orbit and self vacuum

FEATURES
- **0.3 hp (210 W) orbital sander**
- True oil-free operation to keep contaminants away from your sanding process
- Non-vacuum model available in PSA and Hook & Loop pads
- Used for final sanding, finishing and prepolishing processes

BENEFITS
- Industrial Maintenance and Production Applications orbital sander
- High durability thanks to simple and robust design
- Ideal for versatile sanding applications

CP7220HCVE

High Performance with low noise Central vacuum

FEATURES
- **0.3 hp (210 W) orbital sander**
- True oil-free operation to keep contaminants away from your sanding process
- Central-vacuum model available in PSA and Hook & Loop pads
- Used for final sanding, finishing and prepolishing processes
- Handle for 2 hand operation

BENEFITS
- Industrial Maintenance and Production Applications orbital sander
- High durability thanks to simple and robust design
- Ideal for versatile sanding applications

CP7220CVE

High Performance with low noise Central vacuum

FEATURES
- **0.3 hp (210 W) orbital sander**
- True oil-free operation to keep contaminants away from your sanding process
- Central-vacuum model available in PSA and Hook & Loop pads
- Used for final sanding, finishing and prepolishing processes

BENEFITS
- Industrial Maintenance and Production Applications orbital sander
- High durability thanks to simple and robust design
- Ideal for versatile sanding applications

CP7220CVE

CP7250CVE
Similar features as CP7220CVE with 5 mm orbit

See accessories on pages 101 to 105

MODEL	PART NUMBER	POWER		GRIP	FREE SPEED	PAD CAPACITY		SPINDLE THREAD	AIR CONS. AT FREE SPEED		AIR CONS. @LOAD		NET WEIGHT		PAD TYPE	VAC	VIBRATION LEVEL ISO 28927 (M/S2)		SOUND PRESS.	SOUND POWER	AIR INLET
		hp	W		rpm	in.	mm	in.	cfm	l/s	cfm	l/s	lb	kg			a	k	ISO 15744 - dB(A)		
PALM GRIP - ORBITAL Ø 3/32" (2.5mm)																					
CP7220CVE	894 170 2970	0.3	210	Palm	12,000	6	150	5/16-24	16	7	16.6	7.8	1.7	0.7	H&L	CV	3.2	1.4	76	87	1/4"
CP7220E	894 127 2201	0.3	210	Palm	12,000	6	150	5/16-24	16	7	16.6	7.8	1.7	0.7	H&L	no	3.4	1.3	76	87	1/4"
CP7220SVE	894 127 2202	0.3	210	Palm	12,000	6	150	5/16-24	16	7	16.6	7.8	1.7	0.7	H&L	SV	3.2	1.4	76	87	1/4"
PALM GRIP - ORBITAL Ø 3/16" (5mm)																					
CP7250CVE	894 127 2503	0.3	210	Palm	12,000	6	150	5/16-24	16	7	16.6	7.8	1.7	0.7	H&L	CV	5.7	2.9	76	87	1/4"
CP7250E	894 127 2501	0.3	210	Palm	12,000	6	150	5/16-24	16	7	16.6	7.8	1.7	0.7	H&L	no	5	2.3	76	87	1/4"
CP7250HCVE	615 170 3760	0.3	210	2 hand	12,000	6	150	5/16-24	16	7	16.6	7.8	2.0	0.9	H&L	CV	4.4	1.9	81	92	1/4"
CP7250SVE	894 127 2502	0.3	210	Palm	12,000	6	150	5/16-24	16	7	16.6	7.8	1.7	0.7	H&L	SV	5.7	2.9	76	87	1/4"

All models: Hose int. 3/8" (9.5mm) - @90 PSI (@6.3 Bar)

Listed specifications are for reference only. Please check documents in each tool.

UNI-BIS Group
Dystrybutor
ul. Osiedle Leśne 1a
84-300 Lębork, Polska
tel./fax: +48 59 863 14 17
e-mail: biuro@uni-bis.com
www.uni-bis.com

UNI-BIS® industry solutions

CP7250HCVE

High Performance with low noise Central vacuum

FEATURES

- **0.3 hp (210 W) orbital sander**
- **True oil-free operation to keep contaminants** away from your sanding process
- Central-vacuum model available in PSA and Hook & Loop pads
- Used for final sanding, finishing and prepolishing processes
- Handle for 2 hand operation

BENEFITS

- Industrial Maintenance and Production Applications orbital sander
- High durability thanks to simple and robust design
- Ideal for versatile sanding applications

CP7250HCVE

CP7220HE

High Performance with low noise Non vacuum

CP7250HE

Similar features as CP7220HE with self-vacuum

FEATURES

- **0.3 hp (210 W) orbital sander**
- True oil-free operation to keep contaminants away from your sanding process
- Central-vacuum model available in PSA and Hook & Loop pads
- Used for final sanding, finishing and prepolishing processes
- Handle for 2 hand operation

BENEFITS

- Industrial Maintenance and Production Applications orbital sander
- High durability thanks to simple and robust design
- Ideal for versatile sanding applications

CP9534

High Performance with low noise Central vacuum

CP9674

Similar features as CP9534 with low noise Central-vacuum

FEATURES

- **0.3 hp (210 W) orbital sander**
- True oil-free operation to keep contaminants away from your sanding process
- Central-vacuum model available in PSA and Hook & Loop pads
- Great for surface preparation from body filler to paint primer

BENEFITS

- Industrial Maintenance and Production Applications orbital sander
- High durability thanks to simple and robust design
- Ideal for versatile sanding applications

See accessories on pages 101 to 105

MODEL	PART NUMBER	POWER		GRIP	FREE SPEED	PAD CAPACITY		SPINDLE THREAD	AIR CONS. AT FREE SPEED		AIR CONS. @LOAD		NET WEIGHT		PAD TYPE	VAC	VIBRATION LEVEL ISO 28927 (M/S2)		SOUND PRESS.	SOUND POWER	AIR INLET
		hp	W		rpm	in.	mm	in.	cfm	l/s	cfm	l/s	lb	kg			a	k	ISO 15744 - dB(A)		
PALM GRIP - ORBITAL Ø 3/32" (2.5mm)																					
CP7220HE	**615 170 3770**	0.3	210	2 hand	12,000	6	150	5/16-24	16	7	16.6	7.8	2.0	0.9	H&L	SV	5.1	3.2	81	92	1/4"
PALM GRIP - ORBITAL Ø 3/16" (5mm)																					
CP7250HCVE	**615 170 3760**	0.3	210	2 hand	12,000	6	150	5/16-24	16	7	16.6	7.8	2.0	0.9	H&L	CV	4.4	1.9	81	92	1/4"
CP7250HE	**615 170 3740**	0.3	210	2 hand	12,000	6	150	5/16-24	16	7	16.6	7.8	2.0	0.9	H&L	SV	5.1	2.5	81	92	1/4"
CP9534	**615 193 9534**	0.3	210	2 hand	9,000	6	150	5/16-24	9	3	9.0	3.2	2.9	1.3	H&L	CV	2.58	1.1	83	94	1/4"
PALM GRIP - ORBITAL Ø 3/8" (10mm)																					
CP9674	**615 193 9674**	0.3	210	2 hand	9,000	6	150	5/16-24	9	3	9.0	3.2	2.3	1.3	H&L	CV	2.54	1.1	83	94	1/4"

All models: Hose int. 3/8" (9.5mm) - @90 PSI (@6.3 Bar)

Listed specifications are for reference only. Please check documents in each tool.

UNI-BIS Group
Dystrybutor

ul. Osiedle Leśne 1a
84-300 Lębork, Polska

tel./fax: +48 59 863 14 17
e-mail: biuro@uni-bis.com

www.uni-bis.com

UNI-BIS® industry solutions

CP7263E

ERGONOMIC & POWERFUL

CP7263CVE

Similar features as CP7263E with Central Vacuum

FEATURES
- **3"x4-1/4" (74x109 mm) jitterbug rectangle sander**
- 3/32" (2.5 mm) orbit
- Powerful 0.3 hp (210 W) motor
- Soft grip, tear drop design for perfect control
- Non-vacuum
- Chemical and impact resistant composite housing
- Hook & Loop pad

BENEFITS
- Operator comfort with ergonomic palm shape
- Powerful and easy to use
- Compact pad great for sanding on small surfaces
- 3/32" (2.5 mm): used for final sanding, finishing, and pre-polishing processes

CP7264E

ERGONOMIC & POWERFUL

CP7264CVE

Similar features as CP7264E with Central Vacuum

FEATURES
- **2-3/4"x7-3/4" (70x198 mm) Jitterbug rectangle sander**
- 3/32" (2.5 mm) orbit
- Powerful 0.3 hp (210 W) motor
- Soft grip, tear drop design for perfect control
- Non-vacuum
- Chemical and impact resistant composite housing
- Hook & Loop pad

BENEFITS
- Operator comfort with ergonomic palm shape
- Powerful and easy to use
- Long pad ideal for larger surfaces
- 3/32" (2.5 mm): used for final sanding, finishing, and pre-polishing processes

CP7266E

ERGONOMIC & POWERFUL

CP7266CVE

Similar features as CP7266E with Central Vacuum

FEATURES
- **3-1/4"x5" (80x130 mm) jitterbug rectangle sander**
- 3/32" (2.5 mm) orbit
- Powerful 0.3 hp (210 W) motor
- Soft grip, tear drop design for perfect control
- Non-vacuum
- Chemical and impact resistant composite housing
- Hook & Loop pad

BENEFITS
- Operator comfort with ergonomic palm shape
- Powerful and easy to use
- Universal size pad for versatile use
- 3/32" (2.5 mm): used for final sanding, finishing, and pre-polishing processes

See accessories on pages 101 to 105

CP7267E

ERGONOMIC & POWERFUL

CP7267CVE

Similar features as CP7267E with Central Vacuum

FEATURES
- **3-7/8"-5-5/8" (100x144 mm) jitterbug delta sander**
- 3/32" (2.5 mm) orbit
- Powerful 0.3 hp (210 W) motor
- Soft grip, tear drop design for perfect control
- Non-vacuum
- Chemical and impact resistant composite housing
- Hook & Loop pad

BENEFITS
- Operator comfort with ergonomic palm shape
- Powerful and easy to use
- Great for corners with the delta pad
- 3/32" (2.5 mm): used for final sanding, finishing, and pre-polishing processes

MODEL	PART NUMBER	FREE SPEED	PAD SIZE		AVERAGE AIR CONS.		AIR CONS. @LOAD		NET WEIGHT		PAD TYPE	AIR INLET	VAC
		rpm	in.	mm	cfm	l/s	cfm	l/s	lb	kg			
ORBITAL Ø 3/32" (2.5mm)													
CP7267E	**8941072670**	10,000	3-7/8"-5-5/8" delta	100x144 delta	18.0	8.5	1.4	0.6	9.6	3.2	78	89	1/4"
CP7267CVE	**8941172670**	10,000	3-7/8"-5-5/8" delta	100x144 delta	18.0	8.5	1.5	0.7	9	3.7	78	89	1/4"
CP7266E	**894 107 2660**	10,000	3-1/4"x5"	80x130	9	4.3	18.0	8.5	1.4	0.6	H&L	1/4"	no
CP7266CVE	**894 117 2660**	10,000	3-1/4"x5"	80x130	9	4.3	18.0	8.5	1.2	0.7	H&L	1/4"	CV
CP7264E	**894 107 2640**	10,000	2-3/4"x7-3/4"	70x198	9	4.3	18.0	8.5	1.2	0.7	H&L	1/4"	no
CP7264CVE	**894 117 2640**	10,000	2-3/4"x7-3/4"	70x198	9	4.3	18.0	8.5	1.6	0.7	H&L	1/4"	CV
CP7263E	**894 107 2650**	10,000	3"x4-1/4"	74x109	9	4.3	18.0	8.5	1.4	0.6	H&L	1/4"	no
CP7263CVE	**894 117 2650**	10,000	3"x4-1/4"	74x109	9	4.3	18.0	8.5	1.5	0.6	H&L	1/4"	CV

All models: Hose int. 3/8" (9.5mm) - @90 PSI (@6.3 Bar)

Listed specifications are for reference only. Please check documents in each tool.

UNI-BIS Group
Dystrybutor
ul. Osiedle Leśne 1a
84-300 Lębork, Polska
tel./fax: +48 59 863 14 17
e-mail: biuro@uni-bis.com
www.uni-bis.com
UNI-BIS industry solutions

Accessories & Spares

ANGLE SANDERS 2&3"
PISTOL SANDERS



BACK-UP PLATE

MODEL	DESCRIPTION	PART NO.
CP9778	ø 4.75" (120mm) Back-up	KF137214
CP9778	ø 3.75" (95mm) Back-up	KF137215
CP9778	ø 3" (75mm) Back-up	KF137216
CP7202D	3" ROL-LOC/twist lock backing pad, 1/4 - 20 female thread (must be used with Surface Prep Pad)	CA158102

ACCESSORIES INCLUDED

MODEL	DESCRIPTION	PART NO.
CP3019-..	Exhaust hose 31" (0.80m)	615 875 1060
	Flat wrench	615 801 0030

MODEL	ITEM	DESCRIPTION	PART NO.
CP3070	1	Backing pad 5" (125mm)	205 054 8393
	2	Backing pad 3" (76mm)	205 054 8383
	3	Holder flange	205 054 8403
	.	Wrench kit	205 054 8333

OPTIONAL ACCESSORIES

PADS

MODEL	CAPACITY	PART NO.
CP3019-..	2" (50mm) Pad	205 054 9913
	3" (76mm) Pad	205 054 9923
CP3030-325AFR	2" (50mm) Pad	205 054 9913
CP3030-4/5..AFR	3" (76mm) Pad	205 054 9933

COLLET HOLDER

MODEL	ITEM	CAPACITY	PART NO.
CP3030-4..AFR	1	Series 200 collet holder	615 523 0230
CP3030-5..AFR	2	Series 200 collet nut	615 607 1440
	3	Collet, ø 1/8" (2.4 to 3.2mm)	615 526 0610
	.	Collet, ø 5.2 to 6mm	615 526 0620
	.	Collet, ø 1/4" (5.55 to 6.35mm)	615 526 0630
	.	Collet, ø 7.2 to 8mm	615 526 0640

SILENCERS

MODEL	DESCRIPTION	PART NO.
CP3019-..	Silencer kit	615 396 1010
	Clippable silencer	615 396 1240
CP3030-..	Clippable silencer	615 396 1240

GREASE GUN

MODEL	DESCRIPTION	PART NO.
CP3019-..	Grease gun (capacity 0.8 oz - 24g)	615 990 1490

TUNE-UP KITS

MODEL	PART NO.
CP3070-120G	205 054 8293
CP3030-3.	205 054 6403
CP3030-4..	205 054 7863
CP3030-5..	205 054 7923
CP9778	205 050 6663
CP9779	205 050 3853
CP9780	205 050 3863

UNI-BIS Group
Dystrybutor
ul. Osiedle Leśne 1a
84-300 Lębork, Polska
tel./fax: +48 59 863 14 17
e-mail: biuro@uni-bis.com
www.uni-bis.com
UNI-BIS industry solutions

Accessories & Spares

BELT SANDERS

OPTIONAL ACCESSORIES

CP5080-3260 Series - 12" (305mm)

GUARD SUPPORT	PART NO.
12" (305mm) Guard support	**205 054 5513**

CONTACT ARM	PART NO.
1/2"x12" (13x305mm) - 5/8" (16mm)	**205 054 5523**
1/2"x12" (13x305mm) - 5/16" (8mm)	**205 054 5533**
1/8"x12" (3x305mm)	**205 054 5543**
1/4"x12" (6x305mm)	**205 054 5553**

WHEEL ASSEMBLY	PART NO.
1/2" (13mm) - 5/8" (16mm)	**205 054 6443**
1/2" (13mm) - 5/16" (8mm)	**205 055 0283**
1/8" (3mm)	**205 054 6473**
1/4" (6mm)	**205 054 6493**

PLATTEN PAD SET	PART NO.
1/2" x 1.97" (12.5 x 50mm)	**205 054 6243**
1/2" x 1-15/16" (12.5 x 49mm)	**205 054 6233**
5/16" x 2.05" (7.5 x 52mm)	**205 054 6253**

CP5080-4200 Series - 18" (457mm)

GUARD SUPPORT	PART NO.
18" (457mm) Guard support	**205 054 5443**
18" (457mm) Guard support with side handle	**205 054 7953**

CONTACT ARM	PART NO.
5/8" to 3/4" x 18" (16 to 19 x 457mm)	**205 054 5453**
1/2" x 18" (13 x 457mm)	**205 054 5463**
1/8" to 1/2" x 18" (3 to 13 x 457mm)	**205 054 5473**
1/2" x 18" (13 x 457mm)	**205 054 5483**
1/4" x 18" (6 x 457mm)	**205 054 5493**
1" x 18" (25 x 457mm)	**205 054 5503**

WHEEL ASSEMBLY	PART NO.
5/8" (16mm)	**205 054 6433**
1/2" (13mm)	**205 055 0273**
1/8" (3mm)	**205 054 6473**
1/2" (13mm)	**205 054 6483**
1/4" (6mm)	**205 054 6493**
1" (25mm)	**205 054 6423**

PLATTEN PAD SET	PART NO.
3/4" x 2-1/8" (19. 5x 54mm)	**205 054 6263**
11/16" x 1-15/16" (17.5 x 49mm)	**205 054 6273**
1/2" x 2-1/8" (12.5 x 54mm)	**205 054 6283**
5/16" x 2.05" (7.5 x 52mm)	**205 054 6253**
26 x 55	**205 054 6293**

CP5080-5220 Series - 24" (610mm)

GUARD SUPPORT	PART NO.
24" (610mm) Guard support	**205 054 5413**

CONTACT ARM	PART NO.
1/2"x24" (13x610mm)	**205 054 5423**
1/4" to 1/2"x24" (6 to 12x610mm)	**205 054 5433**

WHEEL ASSEMBLY	PART NO.
1/2" (13mm)	**205 054 6443**
1/4" (6mm)	**205 054 6473**

PLATTEN PAD SET	PART NO.
1/2" x 1.97" (12.5 x 50mm)	**205 054 6243**

TUNE-UP KITS

MODEL	PART NO.
CP5080-3260..	**205 054 6403**
CP5080-4200..	**205 054 7863**
CP5080-5220..	**205 054 7923**

UNI-BIS Group
Dystrybutor
ul. Osiedle Leśne 1a
84-300 Lębork, Polska
tel./fax: +48 59 863 14 17
e-mail: biuro@uni-bis.com
www.uni-bis.com

UNI-BIS® industry solutions

Accessories & Spares

BELT SANDERS

BELT SANDERS

DESCRIPTION	IMPERIAL (" INCHES)	METRIC (MM)	FOR TOOL 1/2	FOR TOOL 2/2	GRIT	UNITS	PART NUMBER
Sanding belt	1/8 x 12	3 x 300	CP5080-3260D12(K) + 2050545543 contact arm	-	120	10	**894 016 9706**
					80	10	**894 016 9705**
	1/4 x 12	6 x 300	CP5080-3260D12(K) + 2050545553 contact arm	-	120	10	**894 016 9710**
					40	10	**894 016 9707**
					60	10	**894 016 9708**
					80	10	**894 016 9709**
	1/2 x 12	13 x 300	CP5080-3260D12(K) + 2050545533 contact arm	-	120	10	**894 016 9714**
					40	10	**894 016 9711**
					60	10	**894 016 9712**
					80	10	**894 016 9713**
	3/8 x 13	10 x 330	CP9779, CP858	-	100	10	**894 016 9005**
					120	10	**894 016 9006**
					60	10	**894 016 9003**
					80	10	**894 016 9004**
	1/8 x 18	3 x 450	CP5080-4200H18 + 2050545474 contact arm	CP5080-5220H18 + 2050545474 contact arm	120	10	**894 016 9716**
					80	10	**894 016 9715**
	1/4 x 18	6 x 450	CP5080-4200H18 + 2050545493 contact arm	CP5080-5220H18 + 2050545493 contact arm	120	10	**894 016 9720**
					40	10	**894 016 9717**
					60	10	**894 016 9718**
					80	10	**894 016 9719**
	1/2 x 18	13 x 450	CP5080-4200H18	CP5080-5220H18 + 2050545463 contact arm	120	10	**894 016 9724**
					40	10	**894 016 9721**
					60	10	**894 016 9722**
					80	10	**894 016 9723**
	3/4 x 18	20 x 450	CP5080-4200H18 + 2050545453 contact arm	CP5080-5220H18 + 2050545453 contact arm	120	10	**894 016 9728**
					40	10	**894 016 9725**
					60	10	**894 016 9726**
					80	10	**894 016 9727**
	1 x 18	25 x 450	CP5080-4200H18 + 2050545503 contact arm	CP5080-5220H18	120	10	**894 016 9732**
					40	10	**894 016 9729**
					60	10	**894 016 9730**
					80	10	**894 016 9731**
	3/4 x 20,4	20 x 520	CP9780	-	100	10	**894 016 9009**
					120	10	**894 016 9010**
					60	10	**894 016 9007**
					80	10	**894 016 9008**
	1/4 x 24	6 x 600	CP5080-4220D24 + 2050545433 contact arm	-	120	10	**894 016 9736**
					40	10	**894 016 9733**
					60	10	**894 016 9734**
					80	10	**894 016 9735**
	1/2 x 24	13 x 600	CP5080-4220D24	-	120	10	**894 016 9740**
					40	10	**894 016 9737**
					60	10	**894 016 9738**
					80	10	**894 016 9739**
BELT SANDING SET 12" 5PC - CP							
Sanding belt	1/2 x 12	13 x 300	CP5080-3260D12(K) + 2050545533 contact arm	-	80	1	**205 054 5573**
					120	1	
					4913 Medium	1	
	1/4 x 12	6 x 300			80	1	
					120	1	
BELT SANDING SET 18" 8PC - CP							
Sanding belt	3/4 x 18	20 x 450	CP5080-4200H18 + 2050545453 contact arm	CP5080-5220H18 + 2050545453 contact arm	80	1	**205 054 5563**
					120	1	
					4913 Medium	1	
Sanding belt	1/2 x 18	13 x 450	CP5080-4200H18	CP5080-5220H18 + 2050545463 contact arm	80	1	
					120	1	
					4913 Medium	1	
Sanding belt	1/4 x 18	6 x 450	CP5080-4200H18 + 2050545493 contact arm	CP5080-5220H18 + 2050545493 contact arm	80	1	
					120	1	

TUNE-UP KIT & REPAIR KIT



MODEL	TUNE-UP KIT	MAINTENANCE KIT
CP7220/50..	894 015 8345	894 015 8346
CP7225/55-3 Series	894 016 3459	205 052 2433
CP7215/55H Series	894 016 5875	205 052 2433
CP7215/25/55 Series	894 016 3459	205 052 2433
CP7263/64/66/67 Series	894 016 3459	

MODEL	TUNE-UP KIT
CP7265S/CP7265P	894 016 7963
CP7269S/CP7269P	894 016 7963
CP9778	205 050 6663
CP9779	205 050 3853
CP9780	205 050 3863

UNI-BIS Group
Dystrybutor
ul. Osiedle Leśne 1a
84-300 Lębork, Polska
tel./fax: +48 59 863 14 17
e-mail: biuro@uni-bis.com
www.uni-bis.com
UNI-BIS industry solutions

Accessories

ORBITAL SANDERS

ACCESSORIES INCLUDED

MODEL	DESCRIPTION	PART NO.
CP7220/50E	6" (150mm) Pad H&L	615 990 1540
CP7220/50HE	6" (150mm) Pad PSA	615 990 1590
CP7220/50CVE/ HCVE	6" (150mm) Pad H&L with 6 holes	615 990 1550
CP7220/50SVE	6" (150mm) Pad PSA with 6 holes	615 990 1600
CP9534/CP9674	6" (150mm) Pad H&L with 6 holes	352493
CP7220/50SVE	Dust extraction kit	894 015 8430

OPTIONAL ACCESSORIES

ECO CHANGE MOTOR

MODEL	PART NO.
CP7225-3 Series	894 016 8370
CP7255-3 Series	894 016 8371
CP7225 Series	894 016 8372
CP7255 / CP35.. Series	894 016 8373
CP7215 Series	894 016 8374

VACUUM HOSE ADAPTERS FOR CENTRAL VACUUM SANDERS

MODEL	DESCRIPTION	PART NUMBER
CP7220/50(H)CVE CP7225/55CVE-3, CP3514/15, CP7225/55/15CV(E), CP7255/15HCVE CP7263/64/66/67CVE	Vacuum hose adaptor ø 1" (25 mm) / ø 1-1/4" (32 mm)	615 350 1170
CP7220/50(H)CVE CP7225/55CVE-3, CP3514/15, CP7225/55/15CV(E), CP7255/15HCVE CP7263/64/66/67CVE	Vacuum hose adaptor ø 1" (25 mm) / ø 1-1/8" (28 mm)	615 804 4480

DUST EXTRACTION KIT FOR SELF GENERATE VACUUM

MODEL	DESCRIPTION	PART NUMBER
CP3512/13, CP7225/55/15SV(E)	Dust extraction kit (incl. 1 dust bag and its dust hose)	205 052 2453
CP3512/13, CP7225/55/15SV(E)	Dust bag set (incl. 5 dust bags)	205 052 3203
CP3512/13, CP7225/55/15SV(E)	Dust bag set (incl. 1 dust bag)	205 052 3063

DUST EXTRACTION KIT

MODEL	DESCRIPTION	PART NO.
CP7220/7250 CP9534/9674	Dust extraction kit	894 015 8430

OPTIONAL ACCESSORIES

SANDING PADS (THREAD 5/16"-24)

MODEL	DESCRIPTION	PART NO.
CP7220/50E	6" (150mm) Pad H&L	205 052 3033
CP7220/50HE	6" (150mm) Pad PSA	894 016 3455
CP7220/50CVE/HCVE	6" (150mm) Pad PSA with 6 holes	205 052 3043
CP7220/50CVE/HCVE	6" (150mm) Pad PSA with 15 holes	894 016 8235
CP7220/50CVE/HCVE	6" (150mm) Pad H&L with 15 holes	894 016 8236
CP9534/9674	6" (150mm) Pad H&L	CA149405
CP9534/9674	6" (150mm) Pad PSA with 6 holes	615 990 1180
CP9534/9674	6" (150mm) Pad H&L with 6 holes	615 990 1260
CP9534/9674	Key for pad	164433

SANDING PADS

MODEL	DESCRIPTION	PART NUMBER
CP7225/55/15(H)	ø 6" (150 mm) Pad PSA with 15 holes	894 016 8235
CP7225/55/15(H)	ø 6" (150 mm) Pad H&L with 15 holes	894 016 8236
CP7225/55/15(H)	ø 6" (150 mm) Pad PSA with 7 holes	894 016 3457
CP7225/55/15(H)	ø 6" (150 mm) Pad H&L with 7 holes	894 016 3458
CP7225/55/15(H)	ø 6" (150 mm) Pad PSA with 6 holes	894 015 8621
CP7225/55/15(H)	ø 6" (150 mm) Pad H&L with 6 holes	894 015 8690
CP7225/55/15(H)	ø 6" (150 mm) Pad PSA	894 016 3455
CP7225/55/15(H)	ø 6" (150 mm) Pad H&L	894 016 3456
CP3513/15	ø 5" (125 mm) Pad PSA with 5 holes	894 016 6667
CP3512/14	ø 5" (125 mm) Pad H&L with 5 holes	894 016 6668
CP3511	ø 5" (125 mm) Pad PSA	894 016 6665
CP3510	ø 5" (125 mm) Pad H&L	894 016 6666
CP7225/55-3	ø 3" (75 mm) Pad PSA w/o hole	894 016 7203
CP7263E	3"x4-1/4" (74X109 mm) - NV - H&L Pad	894 016 8997
CP7263CVE	3"x4-1/4" (74X109 mm) - CV - H&L Pad	894 016 8998
CP7264 Serie	2-3/4"x7-3/4" (70X198 mm) - CV - H&L Pad Set	894 016 9002
CP7266E	3-1/4"x5" (80X130 mm) - NV - H&L Pad	894 016 8999
CP7266CVE	3-1/4"x5" (80X130 mm) - CV - H&L Pad	894 016 9000
CP7267 Serie	3-7/8"-5-5/8" delta (100x144 mm) - CV - H&L Pad Set	894 016 9001

SANDING PAPER

ROL-LOC SURFACE PREPARATION PAD
(must be used with the 3" ROL-LOC back-up pad)

MODEL	DESCRIPTION	PART NUMBER
CP7202D	ø 3" (75 mm) Sanding disc 60 Grit (5 pc)	894 016 1712
CP7202D	ø 3" (75 mm) Sanding disc 80 Grit (5 pc)	894 016 1713
CP7202D	ø 3" (75 mm) Sanding disc 100 Grit (5 pc)	894 016 1714
CP7202D	ø 3" (75 mm) Sanding disc 120 Grit (5 pc)	894 016 1715
CP7202D	ø 3" (75 mm) Surface Prep Pad (fine) (5 pc)	894 016 1716
CP7202D	ø 3" (75 mm) Surface Prep Pad (medium) (5 pc)	894 016 1717
CP7202D	ø 3" (75 mm) Surface Prep Pad (course) (5 pc)	894 016 1718
CP7265/69	Nut retainer	KF129586

SANDING ACCESSORIES

MODEL	DESCRIPTION	PART NUMBER
CP9778	Flange	205 048 5053
	Rod-key	205 048 5043

BACK-UP PLATE

MODEL	DESCRIPTION	PART NUMBER
CP9778	ø 4.75" (120 mm) Back-up	KF137214
	ø 3.75" (95 mm) Back-up	KF137215
	ø 3" (75 mm) Back-up	KF137216
CP7202D	3" ROL-LOC Backing pad, 1/4 - 20 female thread (must be used with Surface Prep Pad)	CA158102

UNI-BIS Group
Dystrybutor
ul. Osiedle Leśne 1a
84-300 Lębork, Polska
tel./fax: +48 59 863 14 17
e-mail: biuro@uni-bis.com
www.uni-bis.com
UNI-BIS industry solutions

Accessories

CP3650 ACCESSORIES INCLUDED

MODEL	ITEM	DESCRIPTION	PART NUMBER
CP3650	1	3/8" air hose nipple for 1/2" (13mm) ID hose	615 704 0270
	2	Hose Clamp	615 263 0240
	3	Exhaust hose	615 875 1130
	4	Spanner wrench 17 mm	615 995 1070
	5	Side handle	615 576 0380

MODEL	ITEM	DESCRIPTION	PART NUMBER
CP3650-135AC4SE	1	Vibration-damping side handle	615 576 0660
	2	Flange	615 606 5150
	3	Backing with nut	615 990 1670
	4	Pin wrench	615 802 0080

CP3650 OPTIONAL ACCESSORIES

DUST EXTRACTION KIT Ø5" (125 MM)
FOR COMPOSITE (NON METAL SANDING)

MODEL	ITEM	DESCRIPTION	PART NUMBER
		**Complete kit**	615 397 8280
	1	Suction cap	615 504 1940
	2	Spacer 15 mm (5/8")	615 643 0880
	2	Spacer 15 mm (M14)	615 643 0870
	3	Skirt with brush 5"	615 570 2340
	4	Nut (5/8")	615 606 0450
	4	Nut (M14)	615 606 0460
	5	Backing pad 5" (rigid) (82)	615 990 1990
	6	Pin wrench 1-3/8"	615 802 0100

DUST EXTRACTION KIT Ø5" (125 MM)
FOR COMPOSITE CUTTING (DIAMOND DISC)

MODEL	ITEM	DESCRIPTION	PART NUMBER
		Complete kit	615 397 8300
	1	Manifold cutting with screws	615 504 2170
	2	Goble cover plate complete	615 504 2180
	3	Spacer 6mm - Hole 14mm	615 643 0920
	3	Spacer 6mm - Hole 16mm	615 643 0910
	4	Spacer for M14 spindle	615 643 0890
	4	Spacer for 5/8" spindle	615 643 0900
	5	Flange nut M14	615 606 0460
	5	Flange nut 5/8"	615 606 0450
	-	Pin key	615 802 0670

MODEL	ITEM	DESCRIPTION	PART NUMBER
CP3650	1	Silencer kit (55) (-11 dB)	615 396 1660
	2	Vibration-damping side handle	615 576 0660
	3	Reinforced cloth-lined exhaust hose L=30"	615 875 1160
	4	Hose clamp	615 263 0240
	5	Clippable silencer (-6 dB)	615 396 9570
	6	Grease gun include 24g	615 990 1490
	7	Grease for bevel gear (1kg)	615 990 1480
	8	Blades kit (x100)	615 340 0640
	.	Diamond disc 5" (125 mm)	615 804 9150

DUST EXTRACTION KIT Ø7" (180 MM)
FOR COMPOSITE (NON METAL SANDING)

MODEL	ITEM	DESCRIPTION	PART NUMBER
		**Complete kit**	615 397 8290
	1	Suction cap	615 504 1940
	2	Spacer 15 mm (5/8")	615 643 0880
	2	Spacer 15 mm (M14)	615 643 0870
	3	Skirt with brush	615 570 2310
	4	Nut (5/8")	615 606 0450
	4	Nut (M14)	615 606 0460
	5	Backing pad 7" (rigid) (82)	615 990 1980
	6	Pin wrench 1-3/8" (35 mm)	615 802 0100

MODEL	ITEM	DESCRIPTION	PART NUMBER
	1	Sanding guard 7" (180 mm) kit	615 504 2050

SANDING KIT FOR STANDARD ABRASIVE DISC Ø5" (125MM)

MODEL	ITEM	DESCRIPTION	PART NUMBER
CP3650 (A&B)		**Complete kit**	615 396 0720
	1	Guard	615 504 1450
	2	Ventilated backing	615 990 1270
	3	M14 washer	615 641 0270
	3	5/8" washer	615 642 0500
	4	Nut (M14)	615 606 0220
	4	Nut (5/8)	615 606 0290
	5	Hex key 5/16"	615 802 0610
	6	Pin wrench 1-3/8" (35 mm)	615 802 0100

MODEL	ITEM	DESCRIPTION	PART NUMBER
	1	Semi-hard backing pad Ø5" (125mm) with nut M14 & 5/8" (max speed 12000 rpm)	615 804 0740

UNI-BIS Group
Dystrybutor
ul. Osiedle Leśne 1a
84-300 Lębork, Polska
tel./fax: +48 59 863 14 17
e-mail: biuro@uni-bis.com
www.uni-bis.com

Accessories

CP3650 OPTIONAL ACCESSORIES

MODEL	ITEM	DESCRIPTION	PART NUMBER
CP3650-075AAE CP3650-085AAE	1	Backing pad 7" (180 mm)(soft)	615 990 1330
	1	Backing pad 7" (180 mm) (rigid)	615 990 1340
	2	Nut (M14)	615 606 0220
	2	Nut (5/8")	615 606 0290
	-	Pin wrench 1-3/8" (35 mm)	615 802 0100



MODEL	ITEM	DESCRIPTION	PART NUMBER
CP3650-075AAE CP3650-085AAE	1	Rigid velcro-backed backing pad 7" (180 mm) (M14x2)	615 990 1450
	1	Rigid velcro-backed backing pad 6" (150 mm) (M14x2)	615 990 1370



MODEL	ITEM	DESCRIPTION	PART NUMBER
CP3650-075AB CP3650-085AB	1	Rigid velcro-backed backing pad 7" (180 mm) (5/8"-11)	615 990 1460
	1	Rigid velcro-backed backing pad 6" (150 mm) (5/8"-11)	615 990 1380



SANDING KIT FOR SEMI-RIGID DISC Ø5" (125 MM)

MODEL	ITEM	DESCRIPTION	PART NUMBER
CP3650-..AA		**Complete kit**	615 396 0750
	1	Guard (CE only)	615 504 1450
	2	M14 washer	615 641 0270
	3	Nut (M14)	615 606 0220
	4	Complete backing	615 990 1290
	5	Hex key 5/16"	615 802 0610
	-	Pin wrench 1-3/8" (35 mm)	615 802 0100



SANDING WITH SPIRACOOL PAD (MAX 8500 rpm) Ø7" (180 MM)

MODEL	ITEM	DESCRIPTION	PART NUMBER
CP3650-075AB	1	Spiracool pad	S091836
	2	Hex key 5/16"	615 802 0610



TUNE-UP KIT & REPAIR KIT

MODEL	PART NUMBER
CP3650	205 055 6003

CP3850 ACCESSORIES INCLUDED

MODEL	DESCRIPTION	PART NUMBER
CP3850-60AB/77AB	Vibration damping side handle	615 576 0660
	1/2" Air hose nipple for 5/8" (15 mm) ID hose	615 704 0140
	Rear flange	615 503 1070

MODEL	DESCRIPTION	PART NUMBER
CP3850-65ABVE CP3850-85ABVE	Vibration damping side handle	615 576 0660
	1/2" Air hose nipple for 5/8" (15 mm) ID hose	615 704 0140
	Auto balancer	615 990 1950

CP3850 OPTIONAL ACCESSORIES

MODEL	ITEM	DESCRIPTION	PART NUMBER
	1	Rigid backing pad with nut 5/8", Ø 180 mm (7") - (max. 8,500 rpm)	615 990 1340
	2	Grease gun	615 990 1490
	3	Grease for bevel gear (1Kg)	615 990 1480



MODEL	ITEM	DESCRIPTION	PART NUMBER
CP3850-65ABVE / CP3850-60AB	1	Rear flange (ABVE)	615 503 1070
	2	Pin spanner 1-3/8" (35 mm)	615 802 0100
	3	Soft backing Pad 9" (230 mm) kit	615 990 1410



TUNE-UP KIT & REPAIR KIT

MODEL	DESCRIPTION	TUNE-UP KIT
CP3850	Motor Service Kit	205 055 3543
	Spindle Service Kit	205 055 3553
	Global Service Kit	205 055 3433

UNI-BIS Group
Dystrybutor
ul. Osiedle Leśne 1a
84-300 Lębork, Polska
tel./fax: +48 59 863 14 17
e-mail: biuro@uni-bis.com
www.uni-bis.com
UNI-BIS industry solutions

Accessories

CP3850 OPTIONAL ACCESSORIES

DUST EXTRACTION KIT Ø7" (180 MM)
FOR COMPOSITE (NON METAL SANDING)

MODEL	ITEM	DESCRIPTION	PART NUMBER
CP3850-85ABVE / CP3850-65ABVE CP3850-77AB / CP3850-60AB	1	**Complete kit**	**205 055 3563**
		Manifold CP3850 with screws	**615 504 2190**
		Push fit hood with brush	**615 570 2310**
		Spacer 9mm	**615 643 0930**
		Spacer 6mm hole 16mm	**615 643 0910**
		Backing pad 180mm	**615 990 2000**
		Flange nut 5/8 H16	**615 606 0470**
		Pin key	**615 802 0670**



DUST EXTRACTION KIT Ø7" (180 MM)
FOR COMPOSITE CUTTING (DIAMOND DISC)

MODEL	ITEM	DESCRIPTION	PART NUMBER
CP3850-85ABVE / CP3850-65ABVE / CP3850-77AB / CP3850-60AB	1	**Complete kit**	**205 055 3573**
		Manifold CP3850 cutting with	**615 504 2200**
		Gable cover plate complete	**615 504 2210**
		Spacer 25mm hole 16mm	**615 643 0900**
	2	Flange nut 5/8 H21	**615 606 0480**
		Pin key	**615 802 0100**
		Diamond cutter blade 180mm	**615 811 1450**



MODEL	ITEM	DESCRIPTION	PART NUMBER
CP3850-85ABVE / CP3850-77AB	1	Rear flange (ABVE)	**615 503 1070**
	2	Pad 7" (180mm) kit	**615 990 1330**
	3	Pin spanner 1-3/8" (35 mm)	**615 802 0100**



MODEL	ITEM	DESCRIPTION	PART NUMBER
CP3850-85ABVE / CP3850-77AB	1	Rear flange (ABVE)	**615 503 1070**
	2	Rigid Pad 7" (180mm)	**615 990 1340**
	3	Pin spanner 1-3/8" (35 mm)	**615 802 0100**



MODEL	ITEM	DESCRIPTION	PART NUMBER
CP3850-77AB	1	Spiracool Pad 7" (180mm)	**S091836**
	2	Pin spanner 1-3/8" (35 mm)	**615 802 0100**



DIMENSIONS



	L		H		A	
	in.	mm	in.	mm	in.	mm
CP7202	6.5	166	4.3	110		
CP3030-3…	6.1	154	4.1	103	1.6	41
CP3030-4…	6.8	174	3.7	93	1.7	43
CP3030-5…	6.8	174	5.5	139	1.7	43
CP3019-...AF	6.5	166	3.7	93	1.18	30
CP3070-120G	6.9	175	4.2	108	1.97	50
CP9778	8.2	203	4.5	115		



BELT SANDERS	L		H		A	
	in.	mm	in.	mm	in	mm
CP858	11.8	300	3.35	85	1.78	45
CP9778	11.8	300	3.35	85	1.78	45
CP9780	14.4	365	4?14	105	2.75	70
CP5080-3260D12	11.4	290	3.7	95	2.7	70
CP5080-4200D24	15.3	390	4.5	115	2.9	75
CP5080-3260H18	13.4	340	9.8	250	3.1	80
CP5080-5220H18	13.4	340	9.8	250	3.1	80

UNI-BIS Group
Dystrybutor
ul. Osiedle Leśne 1a
84-300 Lębork, Polska
tel./fax: +48 59 863 14 17
e-mail: biuro@uni-bis.com
www.uni-bis.com
UNI-BIS industry solutions

DIMENSIONS





ORBITAL SANDERS	L		H	
	in	mm	in	mm
CP3510	6.29	160	4.13	105
CP3511	6.29	160	4.13	105
CP3512	8.3	211	4.13	105
CP3514	7.87	200	4.13	105
CP7215/25/55 - (NV)-E	7.28	185	4.13	105
CP7215CV/25CV/55CV -E	8.70	221	4.13	105
CP7215SV/25SV/55SV -E	9.13	232	4.13	105
CP7215H/55H-E	11.22	285	3.78	96
CP7215HCVE/55HCVE	11.22	285	3.78	96
CP7220/50E	5.0	127	3.7	95
CP7220/50SVE	7.3	186	3.26	83
CP7220/50CVE	7.3	186	3.26	83
CP7220/50HE	9.7	246	3.26	83
CP722/50HCVE	10	255	3.26	83
CP9534/CP9674	7.5	190	3.26	83
CP7263E	5.70	145	2.95	75
CP7263CVE	7.28	185	2.95	75
CP7264E	7.87	200	3.15	80
CP7264ECVE	9.45	240	3.15	80
CP7266E	6.10	155	2.75	70
CP7266CVE	7.67	195	2.75	70
CP7267E	7.28	185	3.94	100
CP7267CVE	8.85	225	3.94	100
CP7268	16.53	420	5.90	150



	L		H		A	
	in	mm	in	mm	in	mm
CP3650-..AC4SE	9.37	238	3.44	87.5	1.05	26.8
CP3650-..AAE	9.37	238	3.45	87.8	1.05	26.8
CP3650-..AB	9.37	238	3.65	92.8	1.05	26.8
CP3850-...AB	13.15	334	4.27	107	1.14	29
CP3850-...ABVE	13.15	334	4.09	104	1.14	29

UNI-BIS Group
Dystrybutor
ul. Osiedle Leśne 1a
84-300 Lębork, Polska
tel./fax: +48 59 863 14 17
e-mail: biuro@uni-bis.com
www.uni-bis.com
UNI-BIS® industry solutions