




English	Français	Deutsch	Italiano	Español
Protruding head	Tête bombée	Flachrundkopf	Testa tonda	Cabeza alomada
Body: Aluminium alloy* (5 % Mg) Natural	Corps: Alliage d'aluminium* (5% Mg) Brut	Hülse: Aluminium* (5 % Mg) Blank	Corpo: Lega di alluminio* (5 % Mg) Nessuna finitura	Cuerpo: Aluminio* (5% Mg) Natural
Stem: Aluminium alloy** Natural	Tige: Alliage d'aluminium** Brut	Dorn: Aluminium** Blank	Gambo: Lega di alluminio** Nessuna finitura	Vástago: Aluminio** Natural

\*: BS 1473 5056 DIN 1725 AlMg5 Werkstoff 3.3555

\*\* : 7178



ø					M	øB	D	øE					Part No/ref
	min.	max.	min.	max.					min.	typ. <sup>1)</sup>	min.	typ. <sup>1)</sup>	
4.8 (3/16")	1.57	6.86	4.93	5.18	21.39	10.16	2.29	3.10	2.66	3.34	2.00	2.22	BAPI-06-04
	5.44	11.10			22.23								BAPI-06-07
	1.57	11.10			24.77								BAPI-E06-07
	9.53	15.88			27.69								BAPI-06-10
6.4 (1/4")	2.03	9.53	6.63	7.01	30.00	13.46	2.97	4.11	5.78	6.23	3.69	4.00	BAPI-08-06
	8.89	15.88			33.02								BAPI-08-10
	2.03	15.88			35.56								BAPI-E08-10


all dimensions in mm / en millimètres / alle Maße in mm / in millimetri / en milímetros





1) typical values / valeurs moyennes / typische Werte / Valori tipici / valores típicos



English	Français	Deutsch	Italiano	Español
Protruding head	Tête bombée	Flachrundkopf	Testa tonda	Cabeza alomada
Body: Steel* Zinc plated	Corps: Acier* Revêtement zingué	Hülse: Stahl* verzinkt	Corpo: Acciaio* Zincati	Cuerpo: Acero* Zincado
Stem: Steel* Zinc plated Clear trivalent chromated	Tige: Acier* Revêtement zingué Passivation claire trivalente	Dorn: Stahl* verzinkt Klar chromatiert, Cr6-frei	Gambo: Acciaio* Zincati Passivazione chiara trivalente	Vástago: Acero* Zincado Passivado claro trivalente

\*: BS 3111 Type 1 SAE 1038



ø					M	øB	D	øE					Part No/ref
	nom.	min.	max.	min.					max.	max.	max.	max.	
4.8 (3/16")	1.57	6.86	4.93	5.18	18.19	10.16	2.29	3.10	5.78	8.23	4.44	4.67	SSPI-06-04
	5.44	11.10			22.94								SSPI-06-07
	1.57	11.10			25.48								SSPI-E06-07
	9.53	15.88			27.69								SSPI-06-10
6.4 (1/4")	2.03	9.53	6.63	7.01	30.00	13.46	2.97	4.11	11.12	13.34	8.22	8.90	SSPI-08-06 <sup>2)</sup>
	8.89	15.88			33.66								SSPI-08-10
	2.03	15.88			36.20								SSPI-E08-10
10.0 (3/8")	3.05	15.88	9.96	10.39	39.37	19.56	4.37	6.12	26.68	27.58	17.79	18.24	SSPI-12-10

all dimensions in mm / en millimètres / alle Maße in mm / in millimetri / en milímetros


1) typical values / valeurs moyennes / typische Werte / Valori tipici / valores típicos





2) Deutsches Institut für Bautechnik (DIBt, German Authority in Civil Engineering) Approval No. Z-14.1-4 Attachment 2-23 / Aprobación DIBt (Autoridad Alemana de Ingeniería Civil) N° Z-14.1-4 Anexo 2-23 del Deutsches Institut für Bautechnik (DIBt)



English	Français	Deutsch	Italiano	Español
Countersunk head	Tête fraisée	Senkkopf	Testa svasata	Cabeza avellanada
Body: Steel* Zinc plated Clear trivalent chromated	Corps: Acier* Revêtement zingué Passivation claire trivalente	Hülse: Stahl* verzinkt Klar chromatiert, Cr6-frei	Corpo: Acciaio* Zincati Passivazione chiara trivalente	Cuerpo: Acero* Zincado Pasivado claro trivalente
Stem: Steel* Zinc plated Clear trivalent chromated	Tige: Acier* Revêtement zingué Passivation claire trivalente	Dorn: Stahl* verzinkt Klar chromatiert, Cr6-frei	Gambo: Acciaio* Zincati Passivazione chiara trivalente	Vástago: Acero* Zincado Pasivado claro trivalente

\*: BS 3111 Type 1 SAE 1038



ø					M	øB	D	øE					Part No/ref
	min.	max.	min.	max.					min.	typ. <sup>1)</sup>	min.	typ. <sup>1)</sup>	
4.8 (3/16")	3.18	8.41	4.85	5.10	20.14	8.76	1.78	3.10	5.78	7.34	4.00	4.45	SSCI-06-06
6.4 (1/4")	4.32	12.07	6.63	7.01	28.32	10.54	2.01	4.11	10.67	12.45	8.22	9.56	SSCI-08-08


all dimensions in mm / en millimètres / alle Maße in mm / in millimetri / en milímetros





1) typical values / valeurs moyennes / typische Werte / Valori tipici / valores típicos



English	Français	Deutsch	Italiano	Español
Protruding head	Tête bombée	Flachrundkopf	Testa tonda	Cabeza alomada
Body: Stainless steel*	Corps: Inox*	Hülse: Edelstahl*	Corpo: Acciaio inox*	Cuerpo: Acero inoxidable*
Stem: Stainless steel**	Tige: Inox**	Dorn: Edelstahl**	Gambo: Acciaio inox**	Vástago: Acero inoxidable**

\*: 302 Series  
\*\*: 316 Series



Ø					M	øB	D	øE					Part No/ref
	nom.	min.	max.	min.					max.	min.	typ. <sup>1)</sup>	min.	
4.8 (3/16")	1.57	6.86	4.93	5.18	21.39	10.16	2.29	3.10	5.78	6.89	4.44	4.67	CCPI-06-04
	5.44	11.10			22.94								CCPI-06-07
	1.57	11.10			25.48								CCPI-E06-07
6.4 (1/4")	2.03	9.53	6.63	7.01	28.42	13.46	2.97	4.11	10.67	11.79	8.22	9.12	CCPI-08-06
	2.03	11.10			30.00								CCPI-08-07
	8.89	15.88			33.66								CCPI-08-10
	2.03	15.88			36.35								CCPI-E08-10

all dimensions in mm / en millimètres / alle Maße in mm / in millimetri / en milímetros

1) typical values / valeurs moyennes / typische Werte / Valori tipici / valores típicos