











# MFX 23-VG

Stal  
Ocynk



## MASTERGRIP | zamknięte | kołnierz wpuszczany

$\varnothing d$ [mm]	$l$ [+0,5/-0] [mm]	 [mm]	Indeks nr	$\varnothing d_k$ [mm]	$k$ [mm]	$\varnothing d$ [+0/-0,12] [mm]	 [Nm]	 [N]	 [N]
<b>M4</b>  $\varnothing 6,0$	17,5	2,0-3,5	<b>23M04VG35</b>	9,0 [+0,3/-0,7]	$\leq 1,7$	5,9	4,0	7.860	2.210
<b>M5</b>  $\varnothing 7,0$	20,5	2,0-4,0	<b>23M05VG40</b>	10,0 [+0,3/-0,7]	$\leq 1,7$	6,9	5,0	10.780	2.320
<b>M6</b>  $\varnothing 9,0$	23,5	2,0-4,5	<b>23M06VG45</b>	12,0 [+0,3/-0,7]	$\leq 1,7$	8,9	16,0	16.660	3.660
<b>M8</b>  $\varnothing 11,0$	28,0	2,0-4,5	<b>23M08VG45</b>	14,0 [+0,3/-0,7]	$\leq 1,7$	10,9	18,0	30.840	4.720